


Pkcs10RequestInfo

.
 : rutoken::pki-core
 : pki-core-cpp.h



struct X509CustomExtensionFlag	.
struct X509ExtendedKeyUsage	Extended Key Usage
struct X509KeyUsage	Key Usage

Pkcs10RequestInfo (Pkcs10RequestInfo &&v)	
Pkcs10RequestInfo & operator= (Pkcs10RequestInfo &&v)	
Pkcs10RequestInfo & addCertPolicyByOid (const std::string &oid)	
Pkcs10RequestInfo & addCustomExtension (const std::string &oid, const void *data, size_t size, int flags)	
Pkcs10RequestInfo & addExtendedKeyUsage (X509ExtendedKeyUsage::Type extendedKeyUsage)	Extended Key Usage
Pkcs10RequestInfo & addExtendedKeyUsageByOid (const std::string &oid)	Extended Key Usage OID
Pkcs10RequestInfo & addKeyUsage (X509KeyUsage::Type keyUsage)	Key Usage
Pkcs10RequestInfo & addSubjectSignTool ()	
Pkcs10RequestInfo & setSubject (const X500Dn &subjectDn)	Subject

static Pkcs10RequestInfo cast (Object &&v)
--

Pkcs10RequestInfo & addCertPolicyByOid	(const std::string &oid)
---	-------------------------------------

oid - .

Pkcs10RequestInfo & addCustomExtension

(const std::string &oid, const void *data, size_t size, int flags)
--

oid - .

data - ASN1-, .

size - .

flags - [X509CustomExtensionFlag](#)

Pkcs10RequestInfo & addExtendedKeyUsage
--

(X509ExtendedKeyUsage::Type extendedKeyUsage)

EKU .

extendedKeyUsage - EKU.

Pkcs10RequestInfo & addExtendedKeyUsageByOid

(const std::string &oid)

EKU .

oid - EKU.

Pkcs10RequestInfo & addKeyUsage
--

(X509KeyUsage::Type keyUsage)

KU .

keyUsage - KU.

Pkcs10RequestInfo & addSubjectSignTool

()

Pkcs10RequestInfo & setSubject

(const X500Dn &subjectDn)

DN .

subjectDn - .